



KF5M9B



TECHNICAL INFORMATION

Flow (L/min)	177
Flow (US Gpm)	46,7
Rotation regime (rpm)	600
Pressure (MPa)	8
Pressure (bar)	80
Pressure (psi)	1160
Power (hp)	36,8
Power (kW)	27
Overall dimensions L x l x h (mm)	597x367x285
Weight (kg)	70



Documents

Male shaft (key) - GAS
Male shaft (key) - NPT
Hollow shaft (spline) + SAE B flange - GAS
Hollow shaft (spline) + SAE B flange - NPT
Hy-Pack versione - GAS + orbital motor 200cc
Hy-Pack version - GAS + piston motor 84cc

Illustration Male shaft (key) - GAS




Illustration Male shaft (key) - GAS

Pos.	Code	Description	Qty	Notes
KIT2260	34226001		1	
KIT2226	34222601		1	
KIT2224	34222401		1	
KIT2223	34222301		1	
KIT2155	34215501		1	
KIT2154	34215401		1	
KIT2135	34213501		1	
70	71130501		1	
69	71228001		1	
68	97490000		6	
67	36211405		6	
66	71130562		3	
65	71050866		3	
64	90911000		3	
63	90924000		3	
63	90922200	UPPER HALF CONROD BUSHING +0.5 (BIG END) S.70	3	
63	90922100	UPPER HALF CONROD BUSHING +0.25 (BIG END) S.70	3	
62	90924300		3	
62	90922500	LOWER HALF CONROD BUSHING +0.50 (BIG END) S.70	3	
62	90922400	LOWER HALF CONROD BUSHING +0.25 (BIG END) S.70	3	
61	71225951	PLUG CAP	3	
60	71225851		3	
59	99199400		6	
58	71223074	STAFFA DI SOLLEVAMENTO	1	
57	99426600	VITE TE M12X25-UNI5739 ZINC.	1	
56	71030701		3	
55	90352800	O-RING D. 29.00x1.50 NBR 70SH	3	
54	71212281		3	
53	71227770		3	
52	93199600		3	
51	71227966		3	
50	90367800		3	
49	99312720		3	
48	71212381		3	
47	71228062		3	

Illustration Male shaft (key) - GAS

Pos.	Code	Description	Qty	Notes
46	71129815		1	
45	71060556		3	
44	71224922		1	
43	92239500		1	
42	95842000		4	
41	99429400		12	
40	99450100		4	
39	90386300		4	
38	98232500		4	
37	98218300		4	
36	98243600		3	
35	71227513		1	
34	90389100		3	
33	71227615		1	
32	95822000		3	
31	76040056		3	
30	71227866		3	
29	93200000		3	
28	71225070		3	
27	90276800		3	
26	96714000		3	
25	90167800		3	
24	97743000		3	
23	71050715		3	
22	90060600		1	
21	71606601		3	
20	90170000		1	
19	71150022		1	
18	91500000		1	
17	71020035		1	
16	99313800		6	
15	98206000		4	
14	90400000		1	
13	71160022		1	
12	98212000		1	
11	98218700		1	
10	90384100	O-RING 17,12X2,62 (3068)	5	
9	99186700	SCREW M 6x18 UNI 5931	20	
8	71150122		1	
7	90387700	O-RING 39,34X2,62 (3156)	4	
6	70211801	OIL SIGHT GLASS	1	

Illustration Male shaft (key) - GAS

Pos.	Code	Description	Qty	Notes
5	90075600	CIRCLIP D.45 (Z145)	1	
4	70220381	SHIM 0.25 MM.	1	
4	70220081	SHIM 0.1 MM.	1	
3	90391800		2	
2	91859000		2	
1	71010022		1	

Illustration Male shaft (key) - NPT




Illustration Male shaft (key) - NPT

Pos.	Code	Description	Qty	Notes
KIT2260	34226001		1	
KIT2226	34222601		1	
KIT2224	34222401		1	
KIT2223	34222301		1	
KIT2155	34215501		1	
KIT2154	34215401		1	
KIT2135	34213501		1	
70	71130501		1	
69	71228001		1	
68	97490000		6	
67	36211405		6	
66	71130562		3	
65	71050866		3	
64	90911000		3	
63	90924000		3	
63	90922200	UPPER HALF CONROD BUSHING +0.5 (BIG END) S.70	3	
63	90922100	UPPER HALF CONROD BUSHING +0.25 (BIG END) S.70	3	
62	90924300		3	
62	90922500	LOWER HALF CONROD BUSHING +0.50 (BIG END) S.70	3	
62	90922400	LOWER HALF CONROD BUSHING +0.25 (BIG END) S.70	3	
61	71225951	PLUG CAP	3	
60	71225851		3	
59	99199400		6	
58	71223074	STAFFA DI SOLLEVAMENTO	1	
57	99426600	VITE TE M12X25-UNI5739 ZINC.	1	
56	71030701		3	
55	90352800	O-RING D. 29.00x1.50 NBR 70SH	3	
54	71212281		3	
53	71227770		3	
52	93199600		3	
51	71227966		3	
50	90367800		3	
49	99312720		3	
48	71212381		3	
47	71228062		3	

Illustration Male shaft (key) - NPT

Pos.	Code	Description	Qty	Notes
46	71129915		1	
45	71060556		3	
44	71224922		1	
43	92239500		1	
42	95842000		4	
41	99429400		12	
40	99450100		4	
39	90386300		4	
38	98232500		4	
37	98218300		4	
36	98243600		3	
35	71227513		1	
34	90389100		3	
33	71227615		1	
32	95822000		3	
31	76040056		3	
30	71227866		3	
29	93200000		3	
28	71225070		3	
27	90276800		3	
26	96714000		3	
25	90167800		3	
24	97743000		3	
23	71050715		3	
22	90060600		1	
21	71606601		3	
20	90170000		1	
19	71150022		1	
18	91500000		1	
17	71020035		1	
16	99313800		6	
15	98206000		4	
14	90400000		1	
13	71160022		1	
12	98212000		1	
11	98218700		1	
10	90384100	O-RING 17,12X2,62 (3068)	5	
9	99186700	SCREW M 6x18 UNI 5931	20	
8	71150122		1	
7	90387700	O-RING 39,34X2,62 (3156)	4	
6	70211801	OIL SIGHT GLASS	1	

Illustration Male shaft (key) - NPT

Pos.	Code	Description	Qty	Notes
5	90075600	CIRCLIP D.45 (Z145)	1	
4	70220381	SHIM 0.25 MM.	1	
4	70220081	SHIM 0.1 MM.	1	
3	90391800		2	
2	91859000		2	
1	71010022		1	

Illustration Hollow shaft (spline) + SAE B flange - GAS




Illustration Hollow shaft (spline) + SAE B flange - GAS

Pos.	Code	Description	Qty	Notes
KIT2260	34226001		1	
KIT2226	34222601		1	
KIT2224	34222401		1	
KIT2223	34222301		1	
KIT2155	34215501		1	
KIT2154	34215401		1	
KIT2135	34213501		1	
70	71130501		1	
69	71228001		1	
68	97490000		6	
67	36211405		6	
66	71130562		3	
65	71050866		3	
64	90911000		3	
63	90924000		3	
63	90922200	UPPER HALF CONROD BUSHING +0.5 (BIG END) S.70	3	
63	90922100	UPPER HALF CONROD BUSHING +0.25 (BIG END) S.70	3	
62	90924300		3	
62	90922500	LOWER HALF CONROD BUSHING +0.50 (BIG END) S.70	3	
62	90922400	LOWER HALF CONROD BUSHING +0.25 (BIG END) S.70	3	
61	71225951	PLUG CAP	3	
60	71225851		3	
59	99199400		6	
58	71223074	STAFFA DI SOLLEVAMENTO	1	
57	99426600	VITE TE M12X25-UNI5739 ZINC.	1	
56	71030701		3	
55	90352800	O-RING D. 29.00x1.50 NBR 70SH	3	
54	71212281		3	
53	71227770		3	
52	93199600		3	
51	71227966		3	
50	90367800		3	
49	99312720		3	
48	71212381		3	
47	71228062		3	

Illustration Hollow shaft (spline) + SAE B flange - GAS

Pos.	Code	Description	Qty	Notes
46	71129815		1	
45	71060556		3	
44	71224922		1	
43	92239500		1	
42	95842000		4	
41	99429400		12	
40	99450100		4	
39	90386300		4	
38	98232500		4	
37	98218300		4	
36	98243600		3	
35	71227513		1	
34	90389100		3	
33	71227615		1	
32	95822000		3	
31	76040056		3	
30	71227866		3	
29	93200000		3	
28	71225070		3	
27	90276800		3	
26	96714000		3	
25	90167800		3	
24	97743000		3	
23	71050715		3	
22	90060600		1	
21	71606601		3	
20	90170000		1	
19	71150022		1	
18	91500000		1	
17	71020035		1	
16	99313800		6	
15	98206000		4	
14	90400000		1	
13	71160022		1	
12	98212000		1	
11	98218700		1	
10	90384100	O-RING 17,12X2,62 (3068)	5	
9	99186700	SCREW M 6x18 UNI 5931	20	
8	71150122		1	
7	90387700	O-RING 39,34X2,62 (3156)	4	
6	70211801	OIL SIGHT GLASS	1	

Illustration Hollow shaft (spline) + SAE B flange - GAS

Pos.	Code	Description	Qty	Notes
5	90075600	CIRCLIP D.45 (Z145)	1	
4	70220381	SHIM 0.25 MM.	1	
4	70220081	SHIM 0.1 MM.	1	
3	90391800		2	
2	91859000		2	
1	71010022		1	

Illustration Hollow shaft (spline) + SAE B flange - NPT




Illustration Hollow shaft (spline) + SAE B flange - NPT

Pos.	Code	Description	Qty	Notes
KIT2260	34226001		1	
KIT2226	34222601		1	
KIT2224	34222401		1	
KIT2223	34222301		1	
KIT2155	34215501		1	
KIT2154	34215401		1	
KIT2135	34213501		1	
70	71130501		1	
69	71228001		1	
68	97490000		6	
67	36211405		6	
66	71130562		3	
65	71050866		3	
64	90911000		3	
63	90924000		3	
63	90922200	UPPER HALF CONROD BUSHING +0.5 (BIG END) S.70	3	
63	90922100	UPPER HALF CONROD BUSHING +0.25 (BIG END) S.70	3	
62	90924300		3	
62	90922500	LOWER HALF CONROD BUSHING +0.50 (BIG END) S.70	3	
62	90922400	LOWER HALF CONROD BUSHING +0.25 (BIG END) S.70	3	
61	71225951	PLUG CAP	3	
60	71225851		3	
59	99199400		6	
58	71223074	STAFFA DI SOLLEVAMENTO	1	
57	99426600	VITE TE M12X25-UNI5739 ZINC.	1	
56	71030701		3	
55	90352800	O-RING D. 29.00x1.50 NBR 70SH	3	
54	71212281		3	
53	71227770		3	
52	93199600		3	
51	71227966		3	
50	90367800		3	
49	99312720		3	
48	71212381		3	
47	71228062		3	

Illustration Hollow shaft (spline) + SAE B flange - NPT

Pos.	Code	Description	Qty	Notes
46	71129915		1	
45	71060556		3	
44	71224922		1	
43	92239500		1	
42	95842000		4	
41	99429400		12	
40	99450100		4	
39	90386300		4	
38	98232500		4	
37	98218300		4	
36	98243600		3	
35	71227513		1	
34	90389100		3	
33	71227615		1	
32	95822000		3	
31	76040056		3	
30	71227866		3	
29	93200000		3	
28	71225070		3	
27	90276800		3	
26	96714000		3	
25	90167800		3	
24	97743000		3	
23	71050715		3	
22	90060600		1	
21	71606601		3	
20	90170000		1	
19	71150022		1	
18	91500000		1	
17	71020035		1	
16	99313800		6	
15	98206000		4	
14	90400000		1	
13	71160022		1	
12	98212000		1	
11	98218700		1	
10	90384100	O-RING 17,12X2,62 (3068)	5	
9	99186700	SCREW M 6x18 UNI 5931	20	
8	71150122		1	
7	90387700	O-RING 39,34X2,62 (3156)	4	
6	70211801	OIL SIGHT GLASS	1	

Illustration Hollow shaft (spline) + SAE B flange - NPT

Pos.	Code	Description	Qty	Notes
5	90075600	CIRCLIP D.45 (Z145)	1	
4	70220381	SHIM 0.25 MM.	1	
4	70220081	SHIM 0.1 MM.	1	
3	90391800		2	
2	91859000		2	
1	71010022		1	




Illustration Hy-Pack versione - GAS + orbital motor 200cc

Pos.	Code	Description	Qty	Notes
KIT2260	34226001		1	
KIT2226	34222601		1	
KIT2224	34222401		1	
KIT2223	34222301		1	
KIT2155	34215501		1	
KIT2154	34215401		1	
KIT2135	34213501		1	
78	95185000		1	
77	ZRPM1	ZRPM1	1	
76	90206500	PLUG FOR BORE D.17 - TTN19	1	
75	10085422		1	
74	92202500	NUT M6 UNI 5588 6S	1	
73	70227034	VITE M6X12 CON INCAVO COMPLETA	1	
72	71228971	ANELLO PER ALBERO D.40 H.PACK	1	
71	99309800		6	
70	71130501		1	
69	71228001		1	
68	97490000		6	
67	36211405		6	
66	71130562		3	
65	71050866		3	
64	90911000		3	
63	90924000		3	
63	90922200	UPPER HALF CONROD BUSHING +0.5 (BIG END) S.70	3	
63	90922100	UPPER HALF CONROD BUSHING +0.25 (BIG END) S.70	3	
62	90924300		3	
62	90922500	LOWER HALF CONROD BUSHING +0.50 (BIG END) S.70	3	
62	90922400	LOWER HALF CONROD BUSHING +0.25 (BIG END) S.70	3	
61	71225951	PLUG CAP	3	
60	71225851		3	
59	99199400		6	
58	71223074	STAFFA DI SOLLEVAMENTO	1	
57	99426600	VITE TE M12X25-UNI5739 ZINC.	1	
56	71030701		3	

Illustration Hy-Pack versione - GAS + orbital motor 200cc

Pos.	Code	Description	Qty	Notes
55	90352800	O-RING D. 29.00x1.50 NBR 70SH 3		
54	71212281		3	
53	71227770		3	
52	93199600		3	
51	71227966		3	
50	90367800		3	
49	99312720		3	
48	71212381		3	
47	71228062		3	
46	71129815		1	
45	71060556		3	
44	71224922		1	
43	92239500		1	
42	95842000		4	
41	99429400		12	
40	99450100		4	
39	90386300		4	
38	98232500		4	
37	98218300		4	
36	98243600		3	
35	71227513		1	
34	90389100		3	
33	71227615		1	
32	95822000		3	
31	76040056		3	
30	71227866		3	
29	93200000		3	
28	71225070		3	
27	90276800		3	
26	96714000		3	
25	90167800		3	
24	97743000		3	
23	71050715		3	
22	90060600		1	
21	71606601		3	
20	90170000		1	
19	71150022		1	
17	71020835		1	
16	99313800		6	
15	98206000		4	

Illustration Hy-Pack versione - GAS + orbital motor 200cc

Pos.	Code	Description	Qty	Notes
14	90400000		1	
13	71160022		1	
12	98212000		1	
11	98218700		1	
10	90384100	O-RING 17,12X2,62 (3068)	5	
9	99186700	SCREW M 6x18 UNI 5931	20	
8	71150122		1	
7	90387700	O-RING 39,34X2,62 (3156)	4	
6	70211801	OIL SIGHT GLASS	1	
5	90075600	CIRCLIP D.45 (ZJ45)	1	
4	70220381	SHIM 0.25 MM.	1	
4	70220081	SHIM 0.1 MM.	1	
3	90391800		2	
2	91859000		2	
1	71010022		1	




Illustration Hy-Pack version - GAS + piston motor 84cc

Pos.	Code	Description	Qty	Notes
KIT2260	34226001		1	
KIT2226	34222601		1	
KIT2224	34222401		1	
KIT2223	34222301		1	
KIT2155	34215501		1	
KIT2154	34215401		1	
KIT2135	34213501		1	
78	95153150		1	
77	ZRPM1	ZRPM1	1	
76	90206500	PLUG FOR BORE D.17 - TTN19	1	
75	10085422		1	
74	92202500	NUT M6 UNI 5588 6S	1	
73	70227034	VITE M6X12 CON INCAVO COMPLETA	1	
72	71228971	ANELLO PER ALBERO D.40 H.PACK	1	
71	99309800		6	
70	71130501		1	
69	71228001		1	
68	97490000		6	
67	36211405		6	
66	71130562		3	
65	71050866		3	
64	90911000		3	
63	90924000		3	
63	90922200	UPPER HALF CONROD BUSHING +0.5 (BIG END) S.70	3	
63	90922100	UPPER HALF CONROD BUSHING +0.25 (BIG END) S.70	3	
62	90924300		3	
62	90922500	LOWER HALF CONROD BUSHING +0.50 (BIG END) S.70	3	
62	90922400	LOWER HALF CONROD BUSHING +0.25 (BIG END) S.70	3	
61	71225951	PLUG CAP	3	
60	71225851		3	
59	99199400		6	
58	71223074	STAFFA DI SOLLEVAMENTO	1	
57	99426600	VITE TE M12X25-UNI5739 ZINC.	1	
56	71030701		3	

Illustration Hy-Pack version - GAS + piston motor 84cc

Pos.	Code	Description	Qty	Notes
55	90352800	O-RING D. 29.00x1.50 NBR 70SH 3		
54	71212281		3	
53	71227770		3	
52	93199600		3	
51	71227966		3	
50	90367800		3	
49	99312720		3	
48	71212381		3	
47	71228062		3	
46	71129815		1	
45	71060556		3	
44	71224922		1	
43	92239500		1	
42	95842000		4	
41	99429400		12	
40	99450100		4	
39	90386300		4	
38	98232500		4	
37	98218300		4	
36	98243600		3	
35	71227513		1	
34	90389100		3	
33	71227615		1	
32	95822000		3	
31	76040056		3	
30	71227866		3	
29	93200000		3	
28	71225070		3	
27	90276800		3	
26	96714000		3	
25	90167800		3	
24	97743000		3	
23	71050715		3	
22	90060600		1	
21	71606601		3	
20	90170000		1	
19	71150022		1	
17	71020835		1	
16	99313800		6	
15	98206000		4	

Illustration Hy-Pack version - GAS + piston motor 84cc

Pos.	Code	Description	Qty	Notes
14	90400000		1	
13	71160022		1	
12	98212000		1	
11	98218700		1	
10	90384100	O-RING 17,12X2,62 (3068)	5	
9	99186700	SCREW M 6x18 UNI 5931	20	
8	71150122		1	
7	90387700	O-RING 39,34X2,62 (3156)	4	
6	70211801	OIL SIGHT GLASS	1	
5	90075600	CIRCLIP D.45 (ZJ45)	1	
4	70220381	SHIM 0.25 MM.	1	
4	70220081	SHIM 0.1 MM.	1	
3	90391800		2	
2	91859000		2	
1	71010022		1	